



SKU	KitQty	Zone	Image
GRX118P046	1	Cabin	
Desc:	B737-800: Seat row designator set (Configuration as per LOPA)	W (mm) 115 H (mm) 30	
Material:	Gerber Lexedge FR65 polycarbonate, GERBERCOLOR Hi-Performance thermal print foils, 3M Scotch 468 MP Adhesive Tape		
GRX900P14097	2	Cabin	
Desc:	INFANT LIFE VEST (graphic)	W (mm) 50 H (mm) 50	
Material:	Gerber Lexedge FR65 polycarbonate, GERBERCOLOR Hi-Performance thermal print foils, 3M Scotch 468 MP Adhesive Tape		
GRX118P196	1	Cabin	
Desc:	MEDICAL KIT, TEXT AND GRAPHIC	W (mm) 48 H (mm) 48	
Material:	Gerber Lexedge FR65 polycarbonate, GERBERCOLOR Hi-Performance thermal print foils, 3M Scotch 468 MP Adhesive Tape		
GRX118P195	1	Cabin	
Desc:	Protective Gloves (Graphic)	W (mm) 50 H (mm) 50	
Material:	Gerber Lexedge FR65 polycarbonate, GERBERCOLOR Hi-Performance thermal print foils, 3M Scotch 468 MP Adhesive Tape		
GRX118P193	2	Cabin	
Desc:	B767 Infant Safety Seat Belt	W (mm) 50 H (mm) 50	
Material:	Gerber Lexedge FR65 polycarbonate, GERBERCOLOR Hi-Performance thermal print foils, 3M Scotch 468 MP Adhesive Tape		
GRX118P192	3	Cabin	
Desc:	Demonstration Equipment	W (mm) 75 H (mm) 50	
Material:	Gerber Lexedge FR65 polycarbonate, GERBERCOLOR Hi-Performance thermal print foils, 3M Scotch 468 MP Adhesive Tape		
GRX118P191	2	Cabin	
Desc:	Water fire extinguisher	W (mm) 50 H (mm) 50	
Material:	Gerber Lexedge FR65 polycarbonate, GERBERCOLOR Hi-Performance thermal print foils, 3M Scotch 468 MP Adhesive Tape		

**GRX118P190****KitQty**

1

Zone

Cabin

Image

Desc:	B737-800: Latch Closed Load Limit 28 LB / 12 KG	W (mm)	70
		H (mm)	50
Material:	Gerber Lexedge FR65 polycarbonate, GERBERCOLOR Hi-Performance thermal print foils, 3M Scotch 468 MP Adhesive Tape		

**LATCH CLOSED
LOAD LIMIT**

28 lb / 12 kg

GRX118P190

GRX118P189

1

Cabin

Desc:	B737-800: Latch closed Load Limit 14 LB / 6 KG	W (mm)	70
		H (mm)	50
Material:	Gerber Lexedge FR65 polycarbonate, GERBERCOLOR Hi-Performance thermal print foils, 3M Scotch 468 MP Adhesive Tape		

**LATCH CLOSED
LOAD LIMIT**

14 lb / 6 kg

GRX118P189

GRX118P058

2

Cabin

Desc:	B737-800: Inboard Attendant Seat Must Be Occupied during taxi, take-off and landing to comply with cabin viewing	W (mm)	80
		H (mm)	45
Material:	Gerber Lexedge FR65 polycarbonate, GERBERCOLOR Hi-Performance thermal print foils, 3M Scotch 468 MP Adhesive Tape		

**Inboard Attendant Seat
Must Be Occupied During
Taxi, Takeoff and Landing
To Comply With Cabin
Viewing Requirements**

GRX118P058

GRX118P093

3

Cabin

Desc:	B737-800: Extinguisher (Graphic)	W (mm)	50
		H (mm)	50
Material:	Gerber Lexedge FR65 polycarbonate, GERBERCOLOR Hi-Performance thermal print foils, 3M Scotch 468 MP Adhesive Tape		



GRX118P093

GRX118P094

8

Cabin

Desc:	B737-800: Life Line	W (mm)	60
		H (mm)	20
Material:	Gerber Lexedge FR65 polycarbonate, GERBERCOLOR Hi-Performance thermal print foils, 3M Scotch 468 MP Adhesive Tape		

Life Line

GRX118P094

GBI118P092

2

Cabin

Desc:	B737-800: Emergency Equipment Only / Oxygen / Transmitter	W (mm)	67
		H (mm)	76
Material:	Gerber Lexedge FR65 polycarbonate, GERBERCOLOR Hi-Performance thermal print foils, 3M Scotch 468 MP Adhesive Tape		



GBI118P092

GBI118P091

2

Cabin

Desc:	B737-800: Emergency Equipment Only / Oxygen (graphic) / Extinguisher (graphic)	W (mm)	88
		H (mm)	93
Material:	Gerber Lexedge FR65 polycarbonate, GERBERCOLOR Hi-Performance thermal print foils, 3M Scotch 468 MP Adhesive Tape		



GBI118P091

GBI118P089

4

Cabin

Desc:	B737-800: Oxygen (graphic) Oxygen	W (mm)	50
		H (mm)	75
Material:	Gerber Lexedge FR65 polycarbonate, GERBERCOLOR Hi-Performance thermal print foils, 3M Scotch 468 MP Adhesive Tape		



GBI118P089



	KitQty	Zone	Image												
GBI118P088	6	Cabin	LATCH CLOSED LOAD LIMIT ছিটকিনি বন্ধের সর্বোচ্চ ভার 37 lb/16 kg <small>GBI118P088</small>												
<table> <tr> <td>Desc:</td><td>B737-800: Latch Closed Load Limit 37 lb / 16 kg</td><td>W (mm)</td><td>76</td></tr> <tr> <td></td><td></td><td>H (mm)</td><td>51</td></tr> <tr> <td>Material:</td><td>Gerber Lexedge FR65 polycarbonate, GERBERCOLOR Hi-Performance thermal print foils, 3M Scotch 468 MP Adhesive Tape</td><td></td><td></td></tr> </table>	Desc:	B737-800: Latch Closed Load Limit 37 lb / 16 kg	W (mm)	76			H (mm)	51	Material:	Gerber Lexedge FR65 polycarbonate, GERBERCOLOR Hi-Performance thermal print foils, 3M Scotch 468 MP Adhesive Tape					
Desc:	B737-800: Latch Closed Load Limit 37 lb / 16 kg	W (mm)	76												
		H (mm)	51												
Material:	Gerber Lexedge FR65 polycarbonate, GERBERCOLOR Hi-Performance thermal print foils, 3M Scotch 468 MP Adhesive Tape														
GBI118P087	6	Cabin	LATCH CLOSED LOAD LIMIT ছিটকিনি বন্ধের সর্বোচ্চ ভার 84 lb/37 kg <small>GBI118P087</small>												
<table> <tr> <td>Desc:</td><td>B737-800: Latch Closed Load Limit 84 lb / 37 kg</td><td>W (mm)</td><td>76</td></tr> <tr> <td></td><td></td><td>H (mm)</td><td>51</td></tr> <tr> <td>Material:</td><td>Gerber Lexedge FR65 polycarbonate, GERBERCOLOR Hi-Performance thermal print foils, 3M Scotch 468 MP Adhesive Tape</td><td></td><td></td></tr> </table>	Desc:	B737-800: Latch Closed Load Limit 84 lb / 37 kg	W (mm)	76			H (mm)	51	Material:	Gerber Lexedge FR65 polycarbonate, GERBERCOLOR Hi-Performance thermal print foils, 3M Scotch 468 MP Adhesive Tape					
Desc:	B737-800: Latch Closed Load Limit 84 lb / 37 kg	W (mm)	76												
		H (mm)	51												
Material:	Gerber Lexedge FR65 polycarbonate, GERBERCOLOR Hi-Performance thermal print foils, 3M Scotch 468 MP Adhesive Tape														
GBI118P086	6	Cabin	LATCH CLOSED LOAD LIMIT ছিটকিনি বন্ধের সর্বোচ্চ ভার 62 lb/28 kg <small>GBI118P086</small>												
<table> <tr> <td>Desc:</td><td>B737-800: Latch Closed Load Limit 62 lb / 28 kg</td><td>W (mm)</td><td>76</td></tr> <tr> <td></td><td></td><td>H (mm)</td><td>51</td></tr> <tr> <td>Material:</td><td>Gerber Lexedge FR65 polycarbonate, GERBERCOLOR Hi-Performance thermal print foils, 3M Scotch 468 MP Adhesive Tape</td><td></td><td></td></tr> </table>	Desc:	B737-800: Latch Closed Load Limit 62 lb / 28 kg	W (mm)	76			H (mm)	51	Material:	Gerber Lexedge FR65 polycarbonate, GERBERCOLOR Hi-Performance thermal print foils, 3M Scotch 468 MP Adhesive Tape					
Desc:	B737-800: Latch Closed Load Limit 62 lb / 28 kg	W (mm)	76												
		H (mm)	51												
Material:	Gerber Lexedge FR65 polycarbonate, GERBERCOLOR Hi-Performance thermal print foils, 3M Scotch 468 MP Adhesive Tape														
GBI118P085	6	Cabin	LATCH CLOSED LOAD LIMIT ছিটকিনি বন্ধের সর্বোচ্চ ভার 80 lb/36 kg <small>GBI118P085</small>												
<table> <tr> <td>Desc:</td><td>B737-800: Latch Closed Load Limit 80 lb / 36 kg</td><td>W (mm)</td><td>76</td></tr> <tr> <td></td><td></td><td>H (mm)</td><td>51</td></tr> <tr> <td>Material:</td><td>Gerber Lexedge FR65 polycarbonate, GERBERCOLOR Hi-Performance thermal print foils, 3M Scotch 468 MP Adhesive Tape</td><td></td><td></td></tr> </table>	Desc:	B737-800: Latch Closed Load Limit 80 lb / 36 kg	W (mm)	76			H (mm)	51	Material:	Gerber Lexedge FR65 polycarbonate, GERBERCOLOR Hi-Performance thermal print foils, 3M Scotch 468 MP Adhesive Tape					
Desc:	B737-800: Latch Closed Load Limit 80 lb / 36 kg	W (mm)	76												
		H (mm)	51												
Material:	Gerber Lexedge FR65 polycarbonate, GERBERCOLOR Hi-Performance thermal print foils, 3M Scotch 468 MP Adhesive Tape														
GBI118P084	1	Cabin	LATCH CLOSED LOAD LIMIT ছিটকিনি বন্ধের সর্বোচ্চ ভার 40 lb/18 kg <small>GBI118P084</small>												
<table> <tr> <td>Desc:</td><td>B737-800: Latch Closed Load Limit 40 lb / 18 kg</td><td>W (mm)</td><td>76</td></tr> <tr> <td></td><td></td><td>H (mm)</td><td>51</td></tr> <tr> <td>Material:</td><td>Gerber Lexedge FR65 polycarbonate, GERBERCOLOR Hi-Performance thermal print foils, 3M Scotch 468 MP Adhesive Tape</td><td></td><td></td></tr> </table>	Desc:	B737-800: Latch Closed Load Limit 40 lb / 18 kg	W (mm)	76			H (mm)	51	Material:	Gerber Lexedge FR65 polycarbonate, GERBERCOLOR Hi-Performance thermal print foils, 3M Scotch 468 MP Adhesive Tape					
Desc:	B737-800: Latch Closed Load Limit 40 lb / 18 kg	W (mm)	76												
		H (mm)	51												
Material:	Gerber Lexedge FR65 polycarbonate, GERBERCOLOR Hi-Performance thermal print foils, 3M Scotch 468 MP Adhesive Tape														
GBI118P083	2	Cabin	LATCH CLOSED LOAD LIMIT ছিটকিনি বন্ধের সর্বোচ্চ ভার 140 lb/63 kg <small>GBI118P083</small>												
<table> <tr> <td>Desc:</td><td>B737-800: Latch Closed Load Limit 140 lb / 63 kg</td><td>W (mm)</td><td>76</td></tr> <tr> <td></td><td></td><td>H (mm)</td><td>51</td></tr> <tr> <td>Material:</td><td>Gerber Lexedge FR65 polycarbonate, GERBERCOLOR Hi-Performance thermal print foils, 3M Scotch 468 MP Adhesive Tape</td><td></td><td></td></tr> </table>	Desc:	B737-800: Latch Closed Load Limit 140 lb / 63 kg	W (mm)	76			H (mm)	51	Material:	Gerber Lexedge FR65 polycarbonate, GERBERCOLOR Hi-Performance thermal print foils, 3M Scotch 468 MP Adhesive Tape					
Desc:	B737-800: Latch Closed Load Limit 140 lb / 63 kg	W (mm)	76												
		H (mm)	51												
Material:	Gerber Lexedge FR65 polycarbonate, GERBERCOLOR Hi-Performance thermal print foils, 3M Scotch 468 MP Adhesive Tape														
GBI118P082	5	Cabin	LATCH CLOSED LOAD LIMIT ছিটকিনি বন্ধের সর্বোচ্চ ভার 120 lb/54 kg <small>GBI118P082</small>												
<table> <tr> <td>Desc:</td><td>B737-800: Latch Closed Load Limit 120 lb / 54 kg</td><td>W (mm)</td><td>76</td></tr> <tr> <td></td><td></td><td>H (mm)</td><td>51</td></tr> <tr> <td>Material:</td><td>Gerber Lexedge FR65 polycarbonate, GERBERCOLOR Hi-Performance thermal print foils, 3M Scotch 468 MP Adhesive Tape</td><td></td><td></td></tr> </table>	Desc:	B737-800: Latch Closed Load Limit 120 lb / 54 kg	W (mm)	76			H (mm)	51	Material:	Gerber Lexedge FR65 polycarbonate, GERBERCOLOR Hi-Performance thermal print foils, 3M Scotch 468 MP Adhesive Tape					
Desc:	B737-800: Latch Closed Load Limit 120 lb / 54 kg	W (mm)	76												
		H (mm)	51												
Material:	Gerber Lexedge FR65 polycarbonate, GERBERCOLOR Hi-Performance thermal print foils, 3M Scotch 468 MP Adhesive Tape														
GBI118P081	40	Cabin	LATCH CLOSED LOAD LIMIT ছিটকিনি বন্ধের সর্বোচ্চ ভার 160 lb/72 kg <small>GBI118P081</small>												
<table> <tr> <td>Desc:</td><td>B737-800: Latch Closed Load Limit 160 lb / 72 kg</td><td>W (mm)</td><td>76</td></tr> <tr> <td></td><td></td><td>H (mm)</td><td>51</td></tr> <tr> <td>Material:</td><td>Gerber Lexedge FR65 polycarbonate, GERBERCOLOR Hi-Performance thermal print foils, 3M Scotch 468 MP Adhesive Tape</td><td></td><td></td></tr> </table>	Desc:	B737-800: Latch Closed Load Limit 160 lb / 72 kg	W (mm)	76			H (mm)	51	Material:	Gerber Lexedge FR65 polycarbonate, GERBERCOLOR Hi-Performance thermal print foils, 3M Scotch 468 MP Adhesive Tape					
Desc:	B737-800: Latch Closed Load Limit 160 lb / 72 kg	W (mm)	76												
		H (mm)	51												
Material:	Gerber Lexedge FR65 polycarbonate, GERBERCOLOR Hi-Performance thermal print foils, 3M Scotch 468 MP Adhesive Tape														

**KitQty****Zone****Image****GBI118P080**

8

Cabin

Desc:	B737-800: Latch Closed Load Limit 12 lb / 5 kg	W (mm)	76
		H (mm)	51
Material:	Gerber Lexedge FR65 polycarbonate, GERBERCOLOR Hi-Performance thermal print foils, 3M Scotch 468 MP Adhesive Tape		

**LATCH CLOSED
LOAD LIMIT**
ছিটকিনি বন্ধের
সর্বোচ্চ ভার
12 lb/5 kg

GBI118P080

GBI118P079

2

Cabin

Desc:	B737-800: Latch Closed Load Limit 46 lb / 20 kg	W (mm)	76
		H (mm)	51
Material:	Gerber Lexedge FR65 polycarbonate, GERBERCOLOR Hi-Performance thermal print foils, 3M Scotch 468 MP Adhesive Tape		

**LATCH CLOSED
LOAD LIMIT**
ছিটকিনি বন্ধের
সর্বোচ্চ ভার
46 lb/20 kg

GBI118P079

GBI118P078

8

Cabin

Desc:	B737-800: Latch Closed Load Limit 30 lb / 13 kg	W (mm)	76
		H (mm)	51
Material:	Gerber Lexedge FR65 polycarbonate, GERBERCOLOR Hi-Performance thermal print foils, 3M Scotch 468 MP Adhesive Tape		

GBI118P077

1

Cabin

Desc:	B737-800: First Aid Kit / Megaphone / Down Arrow	W (mm)	139
		H (mm)	49
Material:	Gerber Lexedge FR65 polycarbonate, GERBERCOLOR Hi-Performance thermal print foils, 3M Scotch 468 MP Adhesive Tape		

First Aid Kit **Megaphone** 
প্রাথমিক চিকিৎসার সরঞ্জাম মেগাফোন

GBI118P077

GBI118P076

2

Cabin

Desc:	B737-800: Extinguisher (Graphic) / Extinguisher / Smoke Hood		
Material:	Gerber Lexedge FR65 polycarbonate, GERBERCOLOR Hi-Performance thermal print foils, 3M Scotch 468 MP Adhesive Tape		



GBI118P076

GBI118P075

4

Cabin

Desc:	B737-800: Doors Must Be Closed and Latched During taxi, Take-off And Landing	W (mm)	78
		H (mm)	30
Material:	Gerber Lexedge FR65 polycarbonate, GERBERCOLOR Hi-Performance thermal print foils, 3M Scotch 468 MP Adhesive Tape		

**Doors must be closed and latched
during taxi, take-off and landing**

বিমানের ধীরে চলতে শুরু করা, ওড়া ও অবতরণের
সময় দরজাগুলিকে অবশ্যই বন্ধ করতে হবে
ও ছিটকিনি নাগাতে হবে


GBI118P075

GBI118P074

2

Cabin

Desc:	B737-800: Smokehood (graphic) Emergency Equipment Only		
Material:	Gerber Lexedge FR65 polycarbonate, GERBERCOLOR Hi-Performance thermal print foils, 3M Scotch 468 MP Adhesive Tape		




GBI118P074

GBI118P073

2

Cabin

Desc:	B737-800: Megaphone (graphic) Emergency Equipment Only		
Material:	Gerber Lexedge FR65 polycarbonate, GERBERCOLOR Hi-Performance thermal print foils, 3M Scotch 468 MP Adhesive Tape		



GBI118P073



	KitQty	Zone
GBI118P071	4	Cabin

Image

Desc:	B737-800: Shelf Load Limit 5 lb/2 kg	W (mm)	80
		H (mm)	35
Material:	Gerber Lexedge FR65 polycarbonate, GERBERCOLOR Hi-Performance thermal print foils, 3M Scotch 468 MP Adhesive Tape		

Shelf Load Limit
তাকের সর্বোচ্চ ভার
5 lb/2kg

GBI118P071

GBI118P070	4	Cabin
------------	---	-------

Desc:	B737-800: Shelf Load Limit 14 lb/6kg	W (mm)	80
		H (mm)	35
Material:	Gerber Lexedge FR65 polycarbonate, GERBERCOLOR Hi-Performance thermal print foils, 3M Scotch 468 MP Adhesive Tape		

Shelf Load Limit
তাকের সর্বোচ্চ ভার
14 lb/6kg

GBI118P070

GBI118P065	6	Cabin
------------	---	-------

Desc:	B737-800: Smokehood		
Material:	Gerber Lexedge FR65 polycarbonate, GERBERCOLOR Hi-Performance thermal print foils, 3M Scotch 468 MP Adhesive Tape		



GBI118P064	12	Cabin
------------	----	-------

Desc:	B737-800: No Children This Row	W (mm)	95
		H (mm)	25
Material:	Gerber Lexedge FR65 polycarbonate, GERBERCOLOR Hi-Performance thermal print foils, 3M Scotch 468 MP Adhesive Tape		

No Children this Row
এই সারিতে কোন শিশু বসবে না

GBI118P064

GBI118P063	12	Cabin
------------	----	-------

Desc:	B737-800: You are seated in an emergency exit row	W (mm)	95
		H (mm)	30
Material:	Gerber Lexedge FR65 polycarbonate, GERBERCOLOR Hi-Performance thermal print foils, 3M Scotch 468 MP Adhesive Tape		

**You are Seated in an
Emergency Exit Row**

আপনি একটি জরুরী প্রস্থান সারিতে বসেছেন

GBI118P063

GBI118P062	12	Cabin
------------	----	-------

Desc:	B737-800: Recline on this seat is restricted due to federal safety regulations	W (mm)	102
		H (mm)	61
Material:	Gerber Lexedge FR65 polycarbonate, GERBERCOLOR Hi-Performance thermal print foils, 3M Scotch 468 MP Adhesive Tape		

**Recline on this Seat is
Restricted Due to Federal
Safety Regulations**

ফেডারেল নিরাপত্তা নিয়মানুযায়ী এই
সীটে হেলান দিয়ে বসা নিষিদ্ধ

GBI118P062

GBI118P061	4	Cabin
------------	---	-------

Desc:	B737-800: Emergency Equipment Only / Liferaft	W (mm)	78
		H (mm)	55
Material:	Gerber Lexedge FR65 polycarbonate, GERBERCOLOR Hi-Performance thermal print foils, 3M Scotch 468 MP Adhesive Tape		

**Emergency
Equipment Only**

শুধুমাত্র জরুরী অবস্থার সরঞ্জাম।

Life Raft

জীবনদায়ী ভেলা।

GBI118P061

GBI118P060	4	Cabin
------------	---	-------

Desc:	B737-800: Liferaft	W (mm)	50
		H (mm)	50
Material:	Gerber Lexedge FR65 polycarbonate, GERBERCOLOR Hi-Performance thermal print foils, 3M Scotch 468 MP Adhesive Tape		





KitQty **Zone**

GBI118P059 8 Cabin

Image

Desc:	B737-800: Emergency Equipment Only	W (mm)	80
		H (mm)	25
Material:	Gerber Lexedge FR65 polycarbonate, GERBERCOLOR Hi-Performance thermal print foils, 3M Scotch 468 MP Adhesive Tape		

Emergency Equipment Only

শুধুমাত্র জরুরী অবস্থার সরঞ্জাম

GBI118P059

GBI118P058-1 2 Cabin

Desc:	B737-800: Attendant Seat Must Be Occupied during taxi, take-off and landing to comply with cabin viewing requirements 2ND	W (mm)	80
		H (mm)	45
Material:	Gerber Lexedge FR65 polycarbonate, GERBERCOLOR Hi-Performance thermal print foils, 3M Scotch 468 MP Adhesive Tape		

Attendant Seat Must Be Occupied During Taxi, Takeoff and Landing To Comply With Cabin Viewing Requirements

কেবিন থেকে দেখতে পাওয়ার জন্য বিমানের ধীরে চলতে শুরু করা, ওড়া ও অবতরণের সময় বিমানের ডিডারকার বেকিকার গীটটিতে অবশ্যই বসতে হবে

GBI118P058-1

GBI118P057 10 Cabin

Desc:	B737-800: Doors Must Be Closed and Latched during taxi, take-off and landing	W (mm)	70
		H (mm)	55
Material:	Gerber Lexedge FR65 polycarbonate, GERBERCOLOR Hi-Performance thermal print foils, 3M Scotch 468 MP Adhesive Tape		

Doors Must Be Closed and Latched During Taxi, Takeoff and Landing

বিমানের ধীরে চলতে শুরু করা, ওড়া ও অবতরণের সময় দরজাগুলিকে অবশ্যই বন্ধ করতে হবে ও ছিটকিনি লাগাতে হবে

GBI118P057

GBI118P056-1 4 Cabin

Desc:	B737-800: Open door slowly	W (mm)	83
		H (mm)	26
Material:	Gerber Lexedge FR65 polycarbonate, GERBERCOLOR Hi-Performance thermal print foils, 3M Scotch 468 MP Adhesive Tape		

OPEN DOOR SLOWLY

ধীরে দরজা খুলুন

GBI118P056-1

GBI118P055 4 Cabin

Desc:	B737-800: Fully stow and latch in up position during taxi, take-off and landing	W (mm)	94
		H (mm)	40
Material:	Gerber Lexedge FR65 polycarbonate, GERBERCOLOR Hi-Performance thermal print foils, 3M Scotch 468 MP Adhesive Tape		

FULLY STOW AND LATCH IN UP POSITION DURING TAXI, TAKE-OFF AND LANDING

বিমানের ধীরে চলতে শুরু করা, ওড়া ও অবতরণের সময় অবশ্যই উপরের দিকে পুরোপুরি ভাঁজ করুন ও ছিটকিনি লাগান

GBI118P055

GBI118P054 5 Cabin

Desc:	B737-800: No Stowage	W (mm)	63
		H (mm)	25
Material:	Gerber Lexedge FR65 polycarbonate, GERBERCOLOR Hi-Performance thermal print foils, 3M Scotch 468 MP Adhesive Tape		

NO STOWAGE

কোন গুদাম নেই

GBI118P054

GBI118P052 4 Cabin

Desc:	B737-800: Magazine Stowage	W (mm)	70
		H (mm)	25
Material:	Gerber Lexedge FR65 polycarbonate, GERBERCOLOR Hi-Performance thermal print foils, 3M Scotch 468 MP Adhesive Tape		

MAGAZINE STOWAGE

ম্যাগাজিন গুদাম

GBI118P052

GBI118P050 1 Cabin

Desc:	B737-800: Crew Only	W (mm)	85
		H (mm)	30
Material:	Gerber Lexedge FR65 polycarbonate, GERBERCOLOR Hi-Performance thermal print foils, 3M Scotch 468 MP Adhesive Tape		

CREW ONLY

কেবল বিমানকর্মী

GBI118P050

**KitQty****Zone****Image****GBI118P045**

2

Cabin

Desc:	B737-800: Door Must Be Closed and latched During taxi, Take-off and landing	W (mm)	80
		H (mm)	50
Material:	Gerber Lexedge FR65 polycarbonate, GERBERCOLOR Hi-Performance thermal print foils, 3M Scotch 468 MP Adhesive Tape		

DOOR MUST BE CLOSED AND LATCHED DURING TAXI, TAKEOFF AND LANDING

বিমানের দ্বার চলতে শুরু করা, ওড়া ও অবতরণের সময় দরজা অবশ্যই বন্ধ করতে হবে ও ছিটকিনি দিতে হবে

GBI118P045

GBI118P044

2

Cabin

Desc:	B737-800: Table Load Limit 30lb /13kg	W (mm)	75
		H (mm)	38
Material:	Gerber Lexedge FR65 polycarbonate, GERBERCOLOR Hi-Performance thermal print foils, 3M Scotch 468 MP Adhesive Tape		

TABLE LOAD LIMIT

টেবিলের সর্বোচ্চ ভার
৩০পাউন্ড ১৩কেজি
30 lb/13 kg

GBI118P044

GBI118P041

2

Cabin

Desc:	B737-800: Latch Closed Load Limit 57lb/ 25kg	W (mm)	76
		H (mm)	51
Material:	Gerber Lexedge FR65 polycarbonate, GERBERCOLOR Hi-Performance thermal print foils, 3M Scotch 468 MP Adhesive Tape		

LATCH CLOSED LOAD LIMIT

ছিটকিনি বন্ধের
সর্বোচ্চ ভার
57 lb/25 kg

GBI118P041

GBI118P039

4

Cabin

Desc:	B737-800: Table must be stowed and latched during taxi, take-off and landing	W (mm)	75
		H (mm)	55
Material:	Gerber Lexedge FR65 polycarbonate, GERBERCOLOR Hi-Performance thermal print foils, 3M Scotch 468 MP Adhesive Tape		

TABLE MUST BE STOWED AND LATCHED DURING TAXI, TAKEOFF AND LANDING

বিমানের দ্বার চলতে শুরু করা, ওড়া ও অবতরণের সময় টেবিলটিকে অবশ্যই ভাঁজ করতে হবে ও ছিটকিনি দিতে হবে

GBI118P039

GBI118P037

2

Cabin

Desc:	B737-800: Emergency Use Only	W (mm)	148
		H (mm)	25
Material:	Gerber Lexedge FR65 polycarbonate, GERBERCOLOR Hi-Performance thermal print foils, 3M Scotch 468 MP Adhesive Tape		

EMERGENCY USE ONLY

শুধুমাত্র জরুরী অবস্থায় ব্যবহারের জন্য

GBI118P037

GBI118P034

3

Cabin

Desc:	B737-800: Megaphone	W (mm)	111
		H (mm)	51
Material:	Gerber Lexedge FR65 polycarbonate, GERBERCOLOR Hi-Performance thermal print foils, 3M Scotch 468 MP Adhesive Tape		

**MEGAPHONE**

মেগাফোন

GBI118P034

GBI118P033

3

Cabin

Desc:	B737-800: First Aid Kit	W (mm)	111
		H (mm)	51
Material:	Gerber Lexedge FR65 polycarbonate, GERBERCOLOR Hi-Performance thermal print foils, 3M Scotch 468 MP Adhesive Tape		

**FIRST AID KIT**

প্রাথমিক চিকিৎসার সরঞ্জাম

GBI118P033

GBI118P032

3

Cabin

Desc:	B737-800: First Aid Kit Inside	W (mm)	111
		H (mm)	51
Material:	Gerber Lexedge FR65 polycarbonate, GERBERCOLOR Hi-Performance thermal print foils, 3M Scotch 468 MP Adhesive Tape		

**FIRST AID KIT INSIDE**

ভিতরে প্রাথমিক চিকিৎসার সরঞ্জাম

GBI118P032



KitQty **Zone**

GBI118P031 6 Cabin

Image

Desc:	B737-800: Life Vest / Torch Symbol		
Material:	Gerber Lexedge FR65 polycarbonate, GERBERCOLOR Hi-Performance thermal print foils, 3M Scotch 468 MP Adhesive Tape		



GBI118P025 3 Cabin

Desc:	B737-800: Interphone	W (mm)	74
		H (mm)	25
Material:	Gerber Lexedge FR65 polycarbonate, GERBERCOLOR Hi-Performance thermal print foils, 3M Scotch 468 MP Adhesive Tape		

INTERPHONE
ইন্টারফোন
GBI118P025

GBI118P016 2 Cabin

Desc:	B737-800: Crew Use Only Life Vest/ Torch Symbol (Left arrow)		
Material:	Gerber Lexedge FR65 polycarbonate, GERBERCOLOR Hi-Performance thermal print foils, 3M Scotch 468 MP Adhesive Tape		



GBI118P015 2 Cabin

Desc:	B737-800: For Crew Use Only / Life Vest / Torch Symbol (Right arrow)		
Material:	Gerber Lexedge FR65 polycarbonate, GERBERCOLOR Hi-Performance thermal print foils, 3M Scotch 468 MP Adhesive Tape		




GBI118P012 4 Cabin

Desc:	B737-800: Curtain shall be fastened open during taxi, take-off and landing	W (mm)	195
		H (mm)	20
Material:	Gerber Lexedge FR65 polycarbonate, GERBERCOLOR Hi-Performance thermal print foils, 3M Scotch 468 MP Adhesive Tape		

CURTAIN SHALL BE FASTENED OPEN DURING TAXI, TAKE-OFF AND LANDING
বিমানটির ধীরে চলতে থাকা, ওটা-এফ, অবতরণের সময় পর্দাটিকে খুলে আঁকতে চলতে হবে
GBI118P012

GBI118P010 6 Cabin

Desc:	B737-800: Pull (Long Decal)	W (mm)	128
		H (mm)	20
Material:	Gerber Lexedge FR65 polycarbonate, GERBERCOLOR Hi-Performance thermal print foils, 3M Scotch 468 MP Adhesive Tape		



GBI118P009 1 Cabin

Desc:	B737-800: Load Limit 10lb 4.5kg	W (mm)	60
		H (mm)	35
Material:	Gerber Lexedge FR65 polycarbonate, GERBERCOLOR Hi-Performance thermal print foils, 3M Scotch 468 MP Adhesive Tape		

LOAD LIMIT
সর্বোচ্চ ভার
10 lb/4.5 kg
GBI118P009

GBI118P008 3 Cabin

Desc:	B737-800: Load Limit 18lb 8kg	W (mm)	60
		H (mm)	35
Material:	Gerber Lexedge FR65 polycarbonate, GERBERCOLOR Hi-Performance thermal print foils, 3M Scotch 468 MP Adhesive Tape		

LOAD LIMIT
সর্বোচ্চ ভার
18 lb/8 kg
GBI118P008



KitQty **Zone**

GBI118P007 1 Cabin

Image

Desc:	B737-800: Load Limit 26lb 11kg	W (mm)	60
		H (mm)	35
Material:	Gerber Lexedge FR65 polycarbonate, GERBERCOLOR Hi-Performance thermal print foils, 3M Scotch 468 MP Adhesive Tape		

LOAD LIMIT
সর্বোচ্চ ভার
26 lb/11 kg

GBI118P007

GBI118P006 2 Cabin

Desc:	LOAD LIMIT 13LB / 6KG		
Material:	Gerber Lexedge FR65 polycarbonate, GERBERCOLOR Hi-Performance thermal print foils, 3M Scotch 468 MP Adhesive Tape		

LOAD LIMIT
সর্বোচ্চ ভার
13 lb/6 kg

GBI118P006

GBI118P005 1 Cabin

Desc:	B737-800: Load Limit 8lb 3.6kg	W (mm)	60
		H (mm)	35
Material:	Gerber Lexedge FR65 polycarbonate, GERBERCOLOR Hi-Performance thermal print foils, 3M Scotch 468 MP Adhesive Tape		

LOAD LIMIT
সর্বোচ্চ ভার
8 lb/3.6 kg

GBI118P005

GBI118P004 1 Cabin

Desc:	LOAD LIMIT 16LB / 7KG		
Material:	Gerber Lexedge FR65 polycarbonate, GERBERCOLOR Hi-Performance thermal print foils, 3M Scotch 468 MP Adhesive Tape		

LOAD LIMIT
সর্বোচ্চ ভার
16 lb/7 kg

GBI118P004

GBI118P003 1 Cabin

Desc:	B737-800: Load Limit 6lb 2.7kg	W (mm)	60
		H (mm)	35
Material:	Gerber Lexedge FR65 polycarbonate, GERBERCOLOR Hi-Performance thermal print foils, 3M Scotch 468 MP Adhesive Tape		

LOAD LIMIT
সর্বোচ্চ ভার
6 lb/2.7 kg

GBI118P003

GBI118P002 1 Cabin

Desc:	B737-800: Load Limit 10lb 5kg	W (mm)	60
		H (mm)	35
Material:	Gerber Lexedge FR65 polycarbonate, GERBERCOLOR Hi-Performance thermal print foils, 3M Scotch 468 MP Adhesive Tape		

GBI118P001 2 Cabin

Desc:	B737-800: Load Limit 15lb 7kg	W (mm)	60
		H (mm)	35
Material:	Gerber Lexedge FR65 polycarbonate, GERBERCOLOR Hi-Performance thermal print foils, 3M Scotch 468 MP Adhesive Tape		

LOAD LIMIT
সর্বোচ্চ ভার
15 lb/7 kg

GBI118P001

GBI118P019 192 Cabin

Desc:	B737-800: Life Vest Under Your Seat / Fasten seat belt while seated	W (mm)	130
		H (mm)	22
Material:	Gerber Lexedge FR65 polycarbonate, GERBERCOLOR Hi-Performance thermal print foils, 3M Scotch 468 MP Adhesive Tape		

LIFE VEST UNDER YOUR SEAT
FASTEN SEAT BELT WHILE SEATED

লাইফ জ্যাকেট আপনার সীটের নীচে
বসে থাকার সময় সীটবেল্ট লাগান

GBI118P019



	KitQty	Zone	Image
GBI118P019-2	192	Cabin	

Desc:	B737-800: Life Vest Under Your Seat	W (mm)	101
		H (mm)	21
Material:	Gerber Lexedge FR65 polycarbonate, GERBERCOLOR Hi-Performance thermal print foils, 3M Scotch 468 MP Adhesive Tape		

LIFE VEST UNDER YOUR SEAT
লাইফ জ্যাকেট আপনার সীটের নীচে
GBI118P019-2

GBI118P019-3	192	Cabin
---------------------	-----	-------

Desc:	B737-800: Fasten seat belt while seated	W (mm)	101
		H (mm)	21
Material:	Gerber Lexedge FR65 polycarbonate, GERBERCOLOR Hi-Performance thermal print foils, 3M Scotch 468 MP Adhesive Tape		

FASTEN SEAT BELT WHILE SEATED
বসে থাকার সময় সীটবেল্ট লাগান
GBI118P019-3

GBI118P109-2	2	Cabin
---------------------	---	-------

Desc:	B737-800: Transmitter (graphic)		
Material:	Gerber Lexedge FR65 polycarbonate, GERBERCOLOR Hi-Performance thermal print foils, 3M Scotch 468 MP Adhesive Tape		



GBI118P013	192	Cabin
-------------------	-----	-------

Desc:	B737-800: Fasten seat belt while seated / Use Seat Cushion For Flotation - BC Class		
Material:	Gerber Lexedge FR65 polycarbonate, GERBERCOLOR Hi-Performance thermal print foils, 3M Scotch 468 MP Adhesive Tape		

**Fasten seat belt while seated
Use seat cushion for flotation**
লাইফ জ্যাকেট আপনার সীটের নীচে
ভেসে থাকার জন্য সীটের কুশন ব্যবহার করুন।
GBI118P013

GBI118P040		Cabin
-------------------	--	-------

Desc:	B737-800: Latch Closed Load Limit 90lb/ 40kg	W (mm)	76
		H (mm)	51
Material:	Gerber Lexedge FR65 polycarbonate, GERBERCOLOR Hi-Performance thermal print foils, 3M Scotch 468 MP Adhesive Tape		

**LATCH CLOSED
LOAD LIMIT**
ছিটকিনি বন্ধের
সর্বোচ্চ ভার
90 lb/40 kg
GBI118P040

GBI118P090		Cabin
-------------------	--	-------

Desc:	B737-800: Pull (text on right) / down arrow		
Material:	Gerber Lexedge FR65 polycarbonate, GERBERCOLOR Hi-Performance thermal print foils, 3M Scotch 468 MP Adhesive Tape		

↓ টানুন Pull ↓
GBI118P090

GBI118P043		Cabin
-------------------	--	-------

Desc:	B737-800: Latch Closed Load Limit 180lb/ 81kg	W (mm)	76
		H (mm)	51
Material:	Gerber Lexedge FR65 polycarbonate, GERBERCOLOR Hi-Performance thermal print foils, 3M Scotch 468 MP Adhesive Tape		

**LATCH CLOSED
LOAD LIMIT**
ছিটকিনি বন্ধের
সর্বোচ্চ ভার
180 lb/81 kg
GBI118P043

GBI118P219		Cabin
-------------------	--	-------

Desc:	B737-800: Life vest Yellow	W (mm)	50
		H (mm)	50
Material:	Gerber Lexedge FR65 polycarbonate, GERBERCOLOR Hi-Performance thermal print foils, 3M Scotch 468 MP Adhesive Tape		



**KitQty****Zone****Image****GBI118P042**

Cabin

Desc:	B737-800: Latch Closed Load Limit 120lb/ 54kg	W (mm)	76
		H (mm)	51
Material:	Gerber Lexedge FR65 polycarbonate, GERBERCOLOR Hi-Performance thermal print foils, 3M Scotch 468 MP Adhesive Tape		

**LATCH CLOSED
LOAD LIMIT**

ছিটকিনি বন্ধের

সর্বোচ্চ ভার

120 lb/54 kg

GBI118P042

GRX900P19099

Cabin

Desc:	Fasten Center and Outboard Curtains Open During Taxi, Takeoff and Landing	W (mm)	125
		H (mm)	40
Material:	Gerber Lexedge FR65 polycarbonate, GERBERCOLOR Hi-Performance thermal print foils, 3M Scotch 468 MP Adhesive Tape		

GRX900P19100

Cabin

Desc:	Divider Must Not Be Installed in the area Between the Two Red arrows in Stowage Bin strip	W (mm)	125
		H (mm)	40
Material:	Gerber Lexedge FR65 polycarbonate, GERBERCOLOR Hi-Performance thermal print foils, 3M Scotch 468 MP Adhesive Tape		

GRX900P19101

Cabin

Desc:	Divider Must be Located With the Curtains against the Seatback in the Upright Position and the Indicator Mark	W (mm)	125
		H (mm)	40
Material:	Gerber Lexedge FR65 polycarbonate, GERBERCOLOR Hi-Performance thermal print foils, 3M Scotch 468 MP Adhesive Tape		

GRX118P024

3

Cabin

Desc:	B737-800: Extinguisher / Oxygen	W (mm)	80
		H (mm)	49
Material:	Gerber Lexedge FR65 polycarbonate, GERBERCOLOR Hi-Performance thermal print foils, 3M Scotch 468 MP Adhesive Tape		



GRX118P024

GRX118P023

1

Cabin

Desc:	B737-800: Smokehood / Oxygen	W (mm)	80
		H (mm)	49
Material:	Gerber Lexedge FR65 polycarbonate, GERBERCOLOR Hi-Performance thermal print foils, 3M Scotch 468 MP Adhesive Tape		




GRX118P023

GRX118P022

1

Cabin

Desc:	B737-800: Oxygen / Transmitter / Down arrow	W (mm)	99
		H (mm)	49
Material:	Gerber Lexedge FR65 polycarbonate, GERBERCOLOR Hi-Performance thermal print foils, 3M Scotch 468 MP Adhesive Tape		




GRX118P022

GRX118P021

1

Cabin

Desc:	B737-800: Extinguisher / Smoke Hood / Megaphone / Down arrow	W (mm)	160
		H (mm)	50
Material:	Gerber Lexedge FR65 polycarbonate, GERBERCOLOR Hi-Performance thermal print foils, 3M Scotch 468 MP Adhesive Tape		



GRX118P021

**KitQty****Zone****Image****GRX118P047-A**

2

Doors

Desc:	B737-800: Door Arrow	W (mm)	164
		H (mm)	31
Material:	Gerber Lexedge FR65 polycarbonate, GERBERCOLOR Hi-Performance thermal print foils, 3M Scotch 468 MP Adhesive Tape		

**GRX118P047-B**

2

Doors

Desc:	B737-800: Door Arrow	W (mm)	129
		H (mm)	37
Material:	Gerber Lexedge FR65 polycarbonate, GERBERCOLOR Hi-Performance thermal print foils, 3M Scotch 468 MP Adhesive Tape		

**GRX118P047-C**

2

Doors

Desc:	B737-800: Door Arrow	W (mm)	164
		H (mm)	30
Material:	Gerber Lexedge FR65 polycarbonate, GERBERCOLOR Hi-Performance thermal print foils, 3M Scotch 468 MP Adhesive Tape		

**GRX118P047-D**

2

Doors

Desc:	B737-800: Door Arrow	W (mm)	129
		H (mm)	37
Material:	Gerber Lexedge FR65 polycarbonate, GERBERCOLOR Hi-Performance thermal print foils, 3M Scotch 468 MP Adhesive Tape		

**GBI118P049**

4

Doors

Desc:	B737-800: Slide Inside	W (mm)	80
		H (mm)	44
Material:	Gerber Lexedge FR65 polycarbonate, GERBERCOLOR Hi-Performance thermal print foils, 3M Scotch 468 MP Adhesive Tape		

**GBI118P035**

4

Doors

Desc:	B737-800: Red Strap Must Be Across Window	W (mm)	87
		H (mm)	60
Material:	Gerber Lexedge FR65 polycarbonate, GERBERCOLOR Hi-Performance thermal print foils, 3M Scotch 468 MP Adhesive Tape		

**GBI118P014**

4

Doors

Desc:	B737-800: Open (Large Decal)	W (mm)	130
		H (mm)	80
Material:	Gerber Lexedge FR65 polycarbonate, GERBERCOLOR Hi-Performance thermal print foils, 3M Scotch 468 MP Adhesive Tape		

**GRX118P048-1**

6

Emergency Exit

Desc:	B737-700/800: Emergency Exit Overwing decals	W (mm)	229
		H (mm)	51
Material:	Gerber Lexedge FR65 polycarbonate, GERBERCOLOR Hi-Performance thermal print foils, 3M Scotch 468 MP Adhesive Tape		



**KitQty****Zone****Image****GRX118P048**

6

Emergency Exit

BAC29PPS35847

Desc:	B737-700/800: Emergency Exit Overwing decals	W (mm)	229
		H (mm)	51
Material:	Gerber Lexedge FR65 polycarbonate, GERBERCOLOR Hi-Performance thermal print foils, 3M Scotch 468 MP Adhesive Tape		

**GRX118P048-2**

2

Emergency Exits

Desc:	B737-700/800: Emergency Exit Overwing decals Photo Luminous	W (mm)	275
		H (mm)	61
Material:	Gerber Lexedge FR65 polycarbonate, GERBERCOLOR Hi-Performance thermal print foils, 3M Scotch 468 MP Adhesive Tape		

**GRX118P048-3**

2

Emergency Exits


Desc:	B737-700/800: Emergency Exit Overwing decals Photo Luminous	W (mm)	275
		H (mm)	61
Material:	Gerber Lexedge FR65 polycarbonate, GERBERCOLOR Hi-Performance thermal print foils, 3M Scotch 468 MP Adhesive Tape		

**GRX118P114**

3

Toilets

Desc:	B737-800: Pull door open for sanitary towel (graphic) waste disposal (graphic)	W (mm)	128
		H (mm)	51
Material:	Gerber Lexedge FR65 polycarbonate, GERBERCOLOR Hi-Performance thermal print foils, 3M Scotch 468 MP Adhesive Tape		

**GRX118P020**

6

Toilets

Desc:	B737-800: Ashtray	W (mm)	50
		H (mm)	50
Material:	Gerber Lexedge FR65 polycarbonate, GERBERCOLOR Hi-Performance thermal print foils, 3M Scotch 468 MP Adhesive Tape		

**GRX118P026**

3

Toilets

Desc:	B737-800: Toilet Flush	W (mm)	120
		H (mm)	12
Material:	Gerber Lexedge FR65 polycarbonate, GERBERCOLOR Hi-Performance thermal print foils, 3M Scotch 468 MP Adhesive Tape		

TOILET FLUSH
GRX118P026**GRX118P066**

3

Toilets

Desc:	B737-800: Baby change graphic (large)	W (mm)	93
		H (mm)	93
Material:	Gerber Lexedge FR65 polycarbonate, GERBERCOLOR Hi-Performance thermal print foils, 3M Scotch 468 MP Adhesive Tape		

**GRX118P067**

3

Toilets

Desc:	B737-800: Wheelchair graphic	W (mm)	93
		H (mm)	93
Material:	Gerber Lexedge FR65 polycarbonate, GERBERCOLOR Hi-Performance thermal print foils, 3M Scotch 468 MP Adhesive Tape		



**KitQty****Zone****Image****GRX118P068**

3

Toilets

Desc:	B737-800: Rubbish in toilet prohibited (graphic)	W (mm)	119
		H (mm)	119
Material:	Gerber Lexedge FR65 polycarbonate, GERBERCOLOR Hi-Performance thermal print foils, 3M Scotch 468 MP Adhesive Tape		

**GRX118P069**

3

Toilets


Desc:	B737-800: Baby change graphic (small)	W (mm)	52
		H (mm)	52
Material:	Gerber Lexedge FR65 polycarbonate, GERBERCOLOR Hi-Performance thermal print foils, 3M Scotch 468 MP Adhesive Tape		

**GRX118P115**

3

Toilets

Desc:	B737-800: Toilet seat covers (graphic)	W (mm)	51
		H (mm)	51
Material:	Gerber Lexedge FR65 polycarbonate, GERBERCOLOR Hi-Performance thermal print foils, 3M Scotch 468 MP Adhesive Tape		

**GRX118P118**

3

Toilets

Desc:	B737-800: Razorblade disposal (graphic)	W (mm)	40
		H (mm)	40
Material:	Gerber Lexedge FR65 polycarbonate, GERBERCOLOR Hi-Performance thermal print foils, 3M Scotch 468 MP Adhesive Tape		

**GRX118P119**

3

Toilets


Desc:	B737-800: Door lock (graphic) / right arrow	W (mm)	50
		H (mm)	50
Material:	Gerber Lexedge FR65 polycarbonate, GERBERCOLOR Hi-Performance thermal print foils, 3M Scotch 468 MP Adhesive Tape		

**GRX118P120**

3

Toilets

Desc:	B737-800: Door lock (graphic) / left arrow	W (mm)	50
		H (mm)	50
Material:	Gerber Lexedge FR65 polycarbonate, GERBERCOLOR Hi-Performance thermal print foils, 3M Scotch 468 MP Adhesive Tape		

**GRX118P122**

3

Toilets

Desc:	B737-800: No waste disposal (graphic)	W (mm)	77
		H (mm)	77
Material:	Gerber Lexedge FR65 polycarbonate, GERBERCOLOR Hi-Performance thermal print foils, 3M Scotch 468 MP Adhesive Tape		

**GBI118P056**

3

Toilets

Desc:	B737-800: Smoke Detector In Lavatory		
Material:	Gerber Lexedge FR65 polycarbonate, GERBERCOLOR Hi-Performance thermal print foils, 3M Scotch 468 MP Adhesive Tape		

Smoke Detector in Lavatory
শৌচাগারে ধূমপান শনাক্তকারক

GBI118P056

**KitQty****Zone****Image****GBI118P053**

3

Toilets

Desc:	B737-800: Federal Law Provides For A Penalty		
Material:	Gerber Lexedge FR65 polycarbonate, GERBERCOLOR Hi-Performance thermal print foils, 3M Scotch 468 MP Adhesive Tape		

FEDERAL LAW PROVIDES FOR A PENALTY OF UP TO \$2,200 FOR TAMPERING WITH THE SMOKE DETECTOR INSTALLED IN THIS LAVATORY

এই পৌচালয়ে বসানো ধূমপান শনাক্তকারকটিকে বিকৃত করলে ফেডারেল আইন অনুসারে ২,২০০ ডলার পর্যন্ত জরিমানা হতে পারে
GBI118P053

GBI118P051

3

Toilets

Desc:	B737-800: As A Courtesy To The Next Passenger	W (mm)	150
		H (mm)	63
Material:	Gerber Lexedge FR65 polycarbonate, GERBERCOLOR Hi-Performance thermal print foils, 3M Scotch 468 MP Adhesive Tape		

AS A COURTESY TO THE NEXT PASSENGER MAY WE SUGGEST THAT YOU USE YOUR TOWEL TO WIPE OFF WATER BASIN. THANK YOU !

পাশের যাত্রীর প্রতি সৌজন্য প্রদর্শন করতে বেসিন থেকে জল মুছে ফেলার জন্য আপনার তোয়ালে ব্যবহার করতে অনুরোধ করছি। ধন্যবাদ!
GBI118P051

GBI118P036

3

Toilets

Desc:	B737-800: Open Door Slowly / No Smoking In Lavatory	W (mm)	134
		H (mm)	165
Material:	Gerber Lexedge FR65 polycarbonate, GERBERCOLOR Hi-Performance thermal print foils, 3M Scotch 468 MP Adhesive Tape		

**GBI118P030**

3

Toilets

Desc:	B737-800: Soft Articles Only	W (mm)	79
		H (mm)	25
Material:	Gerber Lexedge FR65 polycarbonate, GERBERCOLOR Hi-Performance thermal print foils, 3M Scotch 468 MP Adhesive Tape		

SOFT ARTICLES ONLY

শুধুমাত্র নমনীয় সামগ্রী

GBI118P030

GBI118P029

2

Toilets

Desc:	B737-800: Pull Mask Down To Turn On Oxygen	W (mm)	64
		H (mm)	74
Material:	Gerber Lexedge FR65 polycarbonate, GERBERCOLOR Hi-Performance thermal print foils, 3M Scotch 468 MP Adhesive Tape		

PULL MASK DOWN TO TURN ON OXYGEN

অক্সিজেন চালু করার জন্য মাস্কটি টানুন
GBI118P029

GBI118P028

2

Toilets

Desc:	B737-800: Please Lock Door (Left Arrow)		
Material:	Gerber Lexedge FR65 polycarbonate, GERBERCOLOR Hi-Performance thermal print foils, 3M Scotch 468 MP Adhesive Tape		

PLEASE LOCK DOOR

দরজাটি বন্ধ করুন
অনুগ্রহ করে

GBI118P028

GBI118P018

3

Toilets

Desc:	B737-800: No Smoking In Lavatory	W (mm)	127
		H (mm)	133
Material:	Gerber Lexedge FR65 polycarbonate, GERBERCOLOR Hi-Performance thermal print foils, 3M Scotch 468 MP Adhesive Tape		

**GBI118P017**

3

Toilets

Desc:	B737-800: Flushing Toilet, No Sick Bags		
Material:	Gerber Lexedge FR65 polycarbonate, GERBERCOLOR Hi-Performance thermal print foils, 3M Scotch 468 MP Adhesive Tape		

Flushing Toilet

Please do not put objects such as airsick bags, diapers, or towels in toilet

স্লাশ দেওয়া টয়লেট

অনুগ্রহ করে বমিবাগ, ডায়াপার বা তোয়ালের মত সামগ্রী টয়লেটে ফেলবেন না
GBI118P017

**GBI118P011****KitQty**

1

Zone

Toilets

Image

Desc:	B737-800: Pull Mask Down To Turn On Oxygen	W (mm)	140
		H (mm)	50
Material:	Gerber Lexedge FR65 polycarbonate, GERBERCOLOR Hi-Performance thermal print foils, 3M Scotch 468 MP Adhesive Tape		

**PULL MASK
DOWN TO
TURN ON
OXYGEN**অক্সিজেন চালু
করার জন্য
মাস্কটি টানুন

GBI118P011

GBI118P027

1

Toilets

Desc:	B737-800: Please Lock Door (right arrow)	W (mm)	81
		H (mm)	30
Material:	Gerber Lexedge FR65 polycarbonate, GERBERCOLOR Hi-Performance thermal print foils, 3M Scotch 468 MP Adhesive Tape		

PLEASE LOCK DOORদরজাটি বন্ধ করুন
অনুগ্রহ করে

GBI118P027